







Wooden Shutter Components Catalog 2023

Wood Species: Basswood / Paulownia / Poplar / Pine

Product Name	Width		Thickness		Drawings
	mm	in	mm	in	
Louvers 1.85"	47	1 74/87	11.11	7/16	
Louvers 2.5"	63.5	2 1/2	11.11	7/16	




Louvers 3"	76.2	3	11.11	7/16	
Louvers 3.5"	88.9	3 1/2	11.11	7/16	
Louvers 4.5"	114.3	4 1/2	11.11	7/16	



Stiles	50.8	2	27	1 6/95	
Rabbit Stile	50.8	2	27	1 6/95	
Astrgal Stile	61.38	2 5/12	33	1 29/97	


4.5"X7/8" Rail	114.3	4 1/2	22.2	83/95	
5.5"X7/8" Rail	139.7	5 1/2	22.2	83/95	
4"X7/8" Divider Rail	101.6	4	22.2	83/95	

3"X7/8" Divider Rail	76.2	3	22.2	83/95	 <p>Technical drawing of a 3"X7/8" Divider Rail. The drawing shows a cross-section of the rail with the following dimensions: total length 76,2 [3], total height 22,2 [7/8], top flange width 9,5 [3/8], and bottom flange height 9,5 [3/8]. The text inside the drawing reads "Divider Rail 3\"X 7/8\"".</p>
4" Rail	101.6	4	19.05	3/4	 <p>Technical drawing of a 4"X 3/4" Rail. The drawing shows a cross-section of the rail with the following dimensions: total length 101,6 [4"], total height 19, top flange height 8,8, and bottom flange width 9,53. The top flange has a radius R2 and the bottom flange has a radius R3. The text inside the drawing reads "Rail 4\"X 3/4\"".</p>
4.5" Rail	114.3	4 1/2	19.05	3/4	 <p>Technical drawing of a 4.5"X 3/4" Rail. The drawing shows a cross-section of the rail with the following dimensions: total length 114,3 [4 1/2"], total height 19 [3/4"], and bottom flange height 8,8 [11/32]. The text inside the drawing reads "Rail 4.5\"X 3/4\"".</p>



5.5" Rail	139.7	5 1/2	19.05	3/4	
4" Divider Rail	101.6	4	19.05	3/4	
3" Divider Rail	76.2	3	19.05	3/4	

L-Frame	25.4	1	47.63	1 7/8	
L-Frame	50.8	2	41.28	1 5/8	
Z-Frame	44.45	1 3/4	57.2	2 25/99	




Z-Frame	44.45	1 3/4	60.2	2 27/73	
Z-Frame	44.53	1 61/81	62.9	2 10/21	
1 1/4" T-Post	50.8	2	47.63	1 7/8	 <p>1.25" T-post</p>

Tilt Rod	11	42/97	16	46/73	
----------	----	-------	----	-------	---

PVC Shutter Components Catalog 2023

Product Name	Width	Thickness	Drawings
	in	in	
2.5" Louver	2 1/2	7/16	
3 " Smooth Louver	3	7/16	

<p>3 1/2" Smooth Louver</p>	<p>3 1/2</p>	<p>7/16</p>	<p>3.5" [88.90]</p> <p>0.4374" [11.11]</p>
<p>4 1/2" Smooth Louver</p>	<p>4 1/2</p>	<p>7/16</p>	<p>4.5" [114.30]</p> <p>0.4598" [11.68]</p>
<p>2 1/2" Reinforced Louver</p>	<p>2 1/2</p>	<p>7/16</p>	<p>2.5" [63.50]</p> <p>0.4374" [11.11]</p>




<p>3" Reinforced Louver</p>	<p>3</p>	<p>7/16</p>	
<p>3 1/2" Reinforced Louver</p>	<p>3 1/2</p>	<p>7/16</p>	
<p>4 1/2" Reinforced Louver</p>	<p>4 1/2</p>	<p>7/16</p>	

2 1/2" X Reinforced Louver	2 1/2	7/16	
3 1/2" X Reinforced Louver	3 1/2	7/16	
4 1/2" X Reinforced Louver	4 1/2	7/16	

3 1/2" Louver	3 1/2	43/91	
Reinforced 3 " Louver	3	43/91	
Reinforced 3 1/2" Louver	3 1/2	43/91	




Reinforced 4 1/2" Louver	4 1/2	43/91	
97*21.2 Divider Rail	3 77/94	81/97	
Narrow Rail 132.3*21.2	5 19/91	81/97	




<p>Rail 162*21.2</p>	<p>6 31/82</p>	<p>81/97</p>	<p>Technical drawing of a rail profile. Dimensions include a top flange width of 18, a total length of 144, a bottom flange width of 162, and a total height of 21.2. A chamfered edge is shown with a radius R1. Vertical dimensions of 10.5 and 10.7 are also indicated.</p>
<p>3-1/4"X3/4" Divider Rail</p>	<p>3 1/4</p>	<p>3/4</p>	<p>Technical drawing of a 3-1/4" X 3/4" divider rail. Dimensions include a total length of 3-1/4" (82.55), a top flange height of 3/8" (9.525), a bottom flange height of 3/4" (19.05), and a chamfered edge with a radius of 6R0.031" (0.7874). A bottom flange width of 3/8" (9.525) is also shown.</p>
<p>3-1/4" Divider Rail Reinforced</p>	<p>3 1/4</p>	<p>3/4</p>	<p>Technical drawing of a reinforced 3-1/4" divider rail. Dimensions are identical to the standard version: total length of 3-1/4" (82.55), top flange height of 3/8" (9.525), bottom flange height of 3/4" (19.05), and a chamfered edge with a radius of 6R0.031" (0.7874). A bottom flange width of 3/8" (9.525) is also shown. The drawing includes a central reinforcement detail.</p>

<p>Narrow Rail 4-5/8"*3/4"</p>	<p>4 5/8</p>	<p>3/4</p>	
<p>Narrow Rail Reinforced 4-5/8"x3/4"</p>	<p>4 5/8</p>	<p>3/4</p>	
<p>5 7/8 X 3/4 Big Rail</p>	<p>5 7/8</p>	<p>3/4</p>	




162 Aluminum core Rail	6 3/8	3/4	
132 Aluminum core Rail	5 1/5	3/4	
98 Aluminum core Divider Rail	3 6/7	3/4	




<p>Square stile</p>	<p>2</p>	<p>1 1/16</p>	<p>1.062" [26.97]</p> <p>2.00" [50.80]</p>
<p>Rabbeted stile</p>	<p>2</p>	<p>1 1/16</p>	<p>1.062" [26.97]</p> <p>2.0" [50.80]</p>
<p>Astragal Stile</p>	<p>2 1/2</p>	<p>1 1/16</p>	<p>26.97</p> <p>50.8</p> <p>63.5</p>




Colonial Frame (613#)	2 7/8	2 1/4	 <p>2.5" [63.5] 1.75" [44.45] 1.125" [28.58] 1.688" [42.88] 0.75" [19.05] 0.75" [19.05] 1.125" [28.58]</p>
Medium Z Frame	2 7/8	1 72/91	 <p>63.49 [2 1/2"] 31.82 [1 1/4"] 13.7 [7/32"] 28.57 [1 1/8"] 44.45 [1 3/4"] 31.23 [1 7/32"]</p>
3.0" Colonial Frame	3 2/5	1 3/4	 <p>3.0" [76.2] 1.125" [28.58] 1.3965" [35.47] 1.2854" [32.65] 1.9972" [50.73]</p>

<p>Classic Z Frame</p>	<p>2 2/5</p>	<p>1 29/40</p>	
<p>Small Z Frame</p>	<p>1 2/3</p>	<p>1 3/4</p>	
<p>Deco Frame</p>	<p>2</p>	<p>1 5/8</p>	




1/2"×5/8"Tilt Rod	1/2	5/8	<p>0.61"[15.5]</p> <p>0.525"[13.34]</p>
Hole Strip	3/4	1/4	<p>0.25"(6.35)</p> <p>0.750"(19.05)</p>
Hole Strip (Pre-drill)	3/4	1/4	<p>0.25"(6.35)</p> <p>0.750"(19.05)</p>




Sill Plate	2	3/4	
1.75"x1"Build Out/Light Stop	1 3/4	1	
Solid Square Stile	2	1 1/16	

<p>Solid Square Stile with hole</p>	<p>2</p>	<p>1 1/16</p>	
<p>Solid Rabbeted stile</p>	<p>2</p>	<p>1 1/16</p>	
<p>Solid Astragal stile</p>	<p>2</p>	<p>1 1/16</p>	


L Frame with insert (S)	1.5	1 73/76	
L Frame with insert (M)	1.5	2 1/2	
PL L-Strip (403#)	1.875	1 3/8	

<p>Medium L Frame</p>	<p>2.5625</p>	<p>1 3/8</p>	
<p>Small BullNose Z Frame</p>	<p>1.5</p>	<p>1 83/95</p>	
<p>Large BullNose Z Frame</p>	<p>2.6</p>	<p>1 92/95</p>	

<p>Small BullNose Z Frame</p>	<p>1.5</p>	<p>1 83/95</p>	
<p>1" T-Post</p>	<p>1</p>	<p>1 7/8</p>	
<p>1.25" T-Post</p>	<p>1.25</p>	<p>1 7/8</p>	 <p>1.25" T-post</p>

<p>Corner Post</p>			 <p>Corner Post</p>
<p>Bay Post</p>			 <p>Bay Post</p>
<p>Reinforced Square Stile</p>	<p>2</p>	<p>1 1/16</p>	

Reinforced Rabbeted Stile	2	1 1/16	
Reinforced Astragal Stile	2	1 1/16	
Hole strip for L Frame	0.48031496	27/98	

light stop 30x25	1.18110236	63/64	 <p>The diagram shows a square light stop with a width of 30 and a height of 25. A callout '1-21' is shown at the bottom-left corner, indicating a specific detail or feature.</p>
------------------	------------	-------	---